

Receiving Report

Date:

13/9/2

Batch No:

M26183

Supplier:

malenau

Dart P/O:

20230

Packing Slip:

Yes ☒

No ☐

Invoice:

Yes ☐

No ☐

Receipt:

Cash ☐

Cr ☒

Release Note Attached:

Yes ☒

No ☐

N/A ☐

Waybill Attached:

Yes ☒

No ☐

N/A ☐

Shipment Complete:

Yes ☒

No ☐

N/A ☐

QC6 Inspection ☒

N/A ☐

Work Order ☐

N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK)

Level 12

[Signature]

Production/Admin:

Date

Received/Costing

Initial

13/9/2
[Signature]

Location

Purchase Order Receipt Listing

Tuesday, July 02, 2013 1:04:31 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO20235 Receipt Dates from 7/2/2013 to 7/2/2013 All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M/ Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name VC-MAR001 Marmori/Keystone Canada Ltd.											
PO20235	1		M6061T6T1.750W.0 f		6/25/2013	7/2/2013	72.0000	\$5.99	0.0000	0	\$431.28
CAD	No		65								
			6061T6 RDTUBE	f	72.0000	DESJ02		\$431.28	0.0000	0	
			1.750 X 0.65W								
			M126183								
	2		M6061T6T1.000W06 f		6/25/2013	7/2/2013	192.0000	\$3.52	0.0000	0	\$675.45
	No		5								
			6061T6 RD TUBE	f	192.0000	DESJ02		\$675.45	0.0000	0	
			1.00 x .065w								
			M126183								
	3		M6061T6T0.375W.0 f		6/25/2013	7/2/2013	108.0000	\$1.85	0.0000	0	\$200.24
	No		58								
			6061-T6 RD Tube	f	108.0000	DESJ02		\$200.24	0.0000	0	
			.375 x.058W								
			M126183								
	4		M304TR0.750W.049 f		6/25/2013	7/2/2013	400.0000	\$1.85	0.0000	0	\$741.62
	No										
			304 RD Tube .750 x	f	400.0000	DESJ02		\$741.62	0.0000	0	
			.049W								
			M126183								

Total Received Quantity: 772.0000
 Total Qty to Inspect (PO U/M): 0.0000
 Total Reject Quantity: 0.0000
 Total Receipt V₁ Inc: \$2,048.62
 Total Balance Due Quantity: 0.0000



Marmon/Keystone Canada Inc.

ACIERS SPÉCIALISÉS

290 Chemin du Tremblay
Boucherville QU CAN J4B 5X9
TEL. 514/527-9153
FAX. 450/641-4357

PAGE... 1
Order : 17903
Date... 06/26/2013

PACKING SLIP

SOLD TO: _____

SHIPPED TO: _____

DART AEROSPACE LTD
1270 ABERDEEN STREET

DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

HAWKESBURY ON CAN K6A 1K7

SHIP VIA		F.O.B.	SALESPERSON	YOUR ORDER NO.	
TST OVERLAND #222212		BOUCHERVILLE	C. Gee	PO20235	
Ordered	Description	Number Pieces	Quantity Shipped	Back Ordered	
01	Fax all papers to Linda Lacelle 613-632-1053 rev: 01/11 GD ALUMINUM SMLS TUBE ATS 1.750 .065 D6061 Tariff Number: 7608.20.00.00 Cust. part#: M6061T6T1.750W.065 HT#.....: F00141734 Total...	6 6	72/FT 72/FT	✓	
02	ALUMINUM SMLS TUBE ATS 1.000 .065 D6061 Tariff Number: 7608.20.00.00 Cust. part#: M6061T6T1.000W065 HT#.....: F00015667 Total...	5 5	60/FT 60/FT	✓	
03	ALUMINUM SMLS TUBE ATS 1.000 .065 D6061 Tariff Number: 7608.20.00.00 Cust. part#: M6061T6T1.000W065 HT#.....: F00137122 Total...	11 11	132/FT 132/FT	✓	
04	ALUMINUM SMLS TUBE ATS .375 .058 D6061 Tariff Number: 7608.20.00.00 Cust. part#: M6061T6T0.375W.058 HT#.....: F00135847 Total...	9 9	108/FT 108/FT	✓	
05	STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 304L 3/4 X .049 A213 STS .750 .049 304L Tariff Number: 7304.41.99.90 Cust. part#: M304TR0.750W.049 HT#.....: 3S094 HT#.....: 3Q765 Total...	5 15 20	100/FT 300/FT 400/FT	✓	

No. of Bcls Crate

0 / 1

Total Weight.....

227

Customers.: _____



A Marmon Distribution Services/Berkshire Hathaway Company

ATP- 1.750- .065-

-D6061 * F00141734 * 0004997 * BN3674 * 6/3/2013

KAISER ALUMINUM

FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: 61-30450-4		CUSTOMER PART NUMBER: AT/1.75.065/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 212955	LINE ITEM: 004	SHIP DATE: 04/11/2013	KAISER LOT NUMBER: F00141734	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 641.000 LB	QUANTITY: 132.000 PCS	BL NUMBER: 213467	DIAM/DAFT/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO: MARMON/KEYSTONE CORP 1000 REMINGTON BLVD. SUITE 305 BOLINGBROOK, IL 60440 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONC LACS	BEND
F00141734	0001	1	43.9	38.1	22.5	N/A	N/A	N/A
F00141734	0002	1	44.6	39.1	22.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D71343	.62	.32	.21	.05	.99	.07	.06	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA
 OD: 1.750"; Wall: 0.065"; Round @
 AMS-4082P ASTM B210-12 WW-T-700/6F
 WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
 COMPLIES TO DIN EN 10204 JAN 2005
 COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
 No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Plant Serial: 00014939
 Kaiser Order Number: 212955
 Line Item: 004



**KAISER
ALUMINUM**
FABRICATED PRODUCTS*Best in Class***CERTIFIED TEST REPORT**<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager



Plant Serial: 00014939
Kaiser Order Number: 212955
Line Item: 004

ATS- 1.000- .065-

-D6061 * F00015667 * 0005000 * MS4529 * 9/4/2012

KAISER ALUMINUM

FABRICATED PRODUCTS

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CUSTOMER PO NUMBER: 61-18028-1		CUSTOMER PART NUMBER: AT/1..065/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 623471	LINE ITEM: 001	SHIP DATE: 08/13/2012	KAISER LOT NUMBER: F00015667	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 655.000 LB	QUANTITY: 243.000 PCS	B/L NUMBER: 604145	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 12.000 FT
SHIP TO: MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO: MARMON/KEYSTONE CORP 1000 REMINGTON BLVD. SUITE 305 BOLINGBROOK, IL 60440 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
F00015667	0001	1	42.6	39.3	17.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D7019S	.64	.32	.23	.05	1.00	.08	.07	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA

OD: 1.000"; Wall: 0.065"; Round @

AMS-4082P ASTM-B210-04 WW-T-700/6F

WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.

THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR

CANCELLED: MIL-T-7061, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,

WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.

COMPLIES TO DIN EN 10204 JAN 2005

COMPLIES TO DEAR 252.225-7001 and DEAR 252.225-7014

No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA

Plant Serial: 00055337

Kaiser Order Number: 623471

Line Item: 001

Page 1 of 2

ATS 1.000 .065 D6061 T6

**KAISER
ALUMINUM
FABRICATED PRODUCTS**

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT *
<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Calvin Letting, Quality & Technology Manager

Calvin Letting



Plant Serial: 00055337
Kaiser Order Number: 623471
Line Item: 001

ATS- 1.000- .065-

-D6061 * F00137122 * 0005000 * MN3638 * 5/24/2013

KAISER ALUMINUM FABRICATED PRODUCTS

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6673 W. WILLIS ROAD
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: 55-30146-1		CUSTOMER PART NUMBER: AT71.065/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 212215	LINE ITEM: 001	SHIP DATE: 01/29/2013	KAISER LOT NUMBER: F00137122	ALLOY: 8061	TEMPER: T6
WEIGHT SHIPPED: 633.000 LB	QUANTITY: 235.000 PCS	B/L NUMBER: 213058	DIAM/OD/THICKS: 1.000	WIDTH: 0.065	LENGTH: 12.000 FT
SHIP TO: MARMON/KEYSTONE CORP 1001 C STREET SW AUBURN, WA 98001 USA			SOLD TO: MARMON/KEYSTONE CORP PO BOX 2128 POMONA, CA 91766 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00137122	0001	1	44.1	43.2	14.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Al	Tot
Maximum	0.60	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
071205	.59	.25	.20	.06	.97	.06	.04	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA

OD: 1.000"; Wall: 0.065"; Round @

AMS-4082P ASTM B210-12 WW-T-700/6F

WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED

COMPLIES TO DIN EN 10204 JAN 2005

COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014

No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

ATS 1.0 x .065 D6061 T6
Line #1 H# F00137122

Plant Serial: 00014645
Kaiser Order Number: 212215
Line Item: 001

KAISER
ALUMINUM
FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226


CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager



Q.C. Reviewed
SR 05/24/13

ATS- .375- .058-

-D6061 * F00135847 * 0005000 * MN3372 * 3/4/2013

KAISER

ALUMINUM

FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: 61-30091-2		CUSTOMER PART NUMBER: AT/.375.058/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 212283	LINE ITEM: 002	SHIP DATE: 01/12/2013	KAISER LOT NUMBER: F00135847	ALLOY: 6061	TEMPER: T8
WEIGHT SHIPPED: 634.000 LB	QUANTITY: 781.000 PCS	BL NUMBER: 212932	DIAM/OD/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO: MARMON/KEYSTONE CORP 1000 REMINGTON BLVD. SUITE 305 BOLINGBROOK, IL 60440 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00135847	0001	1	44.9	42.2	10.0	N/A	N/A	N/A
F00135847	0002	1	45.9	42.9	10.5	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D71122	.65	.33	.23	.06	.97	.08	.06	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA
OD: 0.375"; wall: 0.058"; Round @
AMS-4082P ASTM B210-12 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

Plant Serial: 00014553
Kaiser Order Number: 212283
Line Item: 002


**KAISER
ALUMINUM
FABRICATED PRODUCTS***Best in Class***CERTIFIED TEST REPORT**<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager



Q.C. Reviewed
5/8/03/04/13

Plant Serial: 00014553
Kaiser Order Number: 212283
Line Item: 002



MILL INSPECTION CERTIFICATE

CHANGSHU WALSH SPECIALTY STEEL CO., LTD.
EN 10204 3.1



CUSTOMER: MARKONKEYSTONE CANADA INC.		HEAT NO.: 35894
2012/7/30		CONDITION: COIL FINISHED, ANNEALED, PICKLED, MAIN END
COMMODITY: STAINLESS STEEL SEAMLESS TUBE		CERTIFICATE NO.: 2012XSD0824001
		GRADE: TP 304L

ELEMENTS	CHEMICAL COMPOSITION (WT%)										
	C	SI	MIN	P	S	NI	CR	MO	N	CU	TI
SPECIFICATION	min	0.035	1.000	0.045	0.030	12.000	20.000				
RESULTS (LADLE)	0.013	0.220	1.870	0.027	0.001	8.530	18.079				
RESULT (PRODUCT)	0.015	0.335	1.961	0.021	0.001	8.506	18.623				

SIZE(mm) QD(1/4"ITC)	PACKAGE NO.	PIECES	WEIGHT		TS	YS		EL (50mm) %	HARDNESS HRB	FLATTENING TEST	FLARING TEST	I.C. TEST	GRAIN SIZE	Lot No.	HYDROSTATIC TEST	EDDY CURRENT TEST	ULTRASONIC TEST
			FT	(KEL)		0.2%	1%										
Ø 250x1.049	17-18	50	1000	173	570/560	255/265		58/97.5	78-97.5	GOOD	GOOD	GOOD	/	201204-GI-021	/	GOOD	GOOD

REMARK: AS PER ASTM A213-11, ASME SA213-16, ASTM A269-10
ASTM A1016
FACE MR 0.35
PO B22402
LENGTH 20M
IC TEST PER ASTM A262, PRACTICE E
MATERIAL FREE FROM MERCURY CONTAMINATION
NO REPAIR BY WELDING
MADE IN CHINA
HRS MAX 80 400P POLISHED

1. I HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS BEEN MADE IN ACCORDANCE WITH THE RESULTS OF THE CONTRACT, AND CONFORM TO THE SPECIFICATION ABOVE.

2. THE CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL OF THE COMPANY.

Sum Bin
QUALITY MANAGER

ADDRESS: 56# BERNARD ROAD, HAIYU TOWN, CHANGSHU CITY, JIANGSU PROVINCE, CHINA 215519 TEL: +86-512-52568260 FAX: +86-512-52568027
WUOS-QP-12446

QC REVIEWED
SEP 04 2012
TC



MILL INSPECTION CERTIFICATE

CHANGSHU WALSIN SPECIALTY STEEL CO., LTD.
EN 10204 3.1



CUSTOMER: MARONKEYSTONE CANADA INC. 201293		HEAT NO.: 38094	
COMMODITY: STAINLESS STEEL SEAMLESS TUBE		CONDITION: COLD FINISHED, ANNEALED, PICKLED, PLAN END	
		CERTIFICATE NO.: 20120908024912	
		GRADE: TP 304L	
CHEMICAL COMPOSITION (Wt%)			
ELEMENTS	C	SI	Mn
	0.035	0.035	0.035
SPECIFICATION	0.035	0.035	0.035
RESULTS (LADLE)	0.013	0.020	0.021
RESULTS (PRODUCT)	0.015	0.035	0.021
MECHANICAL PROPERTIES			
SIZE (mm)	NO.	PIECES	WEIGHT
0.750x0.049	5-26	12	240
0.750x0.049	5-26	24	480
TENSILE			
TS	0.2% MPa	1% MPa	EL. (20mm) %
570/560	295/285	58/7.5	78.5/71.5
610/585	323/310	53/4	79.5/79
HARDNESS			
HRB	FLATTENING TEST	FLARING TEST	I.C. TEST
GOOD	GOOD	GOOD	GOOD
GRAIN SIZE			
201205-01-001	201206-01-018		
HYDROSTATIC TEST			
GOOD	GOOD		
EDDY CURRENT TEST			
GOOD	GOOD		
ULTRASONIC TEST			
GOOD	GOOD		
TOTAL: 36 720 125			
REMARKS:			
AS PER ASTM A213-11, ASME SA213-11, ASTM A269-10			
NACE MR 0175			
PO 1002832			
LENGTH: 20FT			
TEST PER ASTM A262, PRACTICE E			
MATERIAL FREE FROM MERCURY CONTAMINATION			
NO REPAIR BY WELDING			
MADE IN CHINA HRB MAX 80 400P/POLISHED			
ADDRESS: 56# BENMIN ROAD, HAIYU TOWN, CHANGSHU CITY, JIANGSU PROVINCE, CHINA 215319 TEL: +86-512-52566269 FAX: +86-512-52566827			
WALCS-QP-124-06			

13-07-05

Sum Bin

QUALITY MANAGER

QC Reviewed
SK 10/15/12



MIL INSPECTION CERTIFICATE

CHANGSHU WALSIN SPECIALTY STEEL CO.,LTD.

EN 10204 3.1

[illegible]

ADDRESS: 36# RENMIN ROAD, HAIYU TOWN, CHANGSHU CITY, JIANGSU PROVINCE, CHINA 215519 TEL: +86-512-52566260 FAX: +86-512-5256802/
WLCS-QP-T24-06

QUALITY MANAGER

Sum Bin

A.C. Reviewed
SR10/15/12



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO20235**

Purchase Order Date 6/19/2013

PO Print Date 6/19/2013

Page Number 1 of 2

Order From :

VC-MAR001

Ship To : DART AEROSPACE LTD

MARMON/KEYSTONE CANADA LTD.
290 CHEMIN DU TREMBLAY
BOUCHERVILLE, QC J4B 5X9
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
6/30/13

Contact Name

Vendor Phone 800 361 8142

Ship To Contact

Ship To Phone

Ship Via: TST ground

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

M126183

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	List Price	Disc %	Discounted Unit Price	Extended Price
1	M6061T6T1.750W.065 MATERIAL: 6061-T6/6061-T62 TUBING PER WW-T-700/6 OR AMS 4080/AMS4082 OR QQ-A-200/8 OR QQ-A-225/8	6061T6 RDTUBE 1.750 X 0.65W	6/25/2013 Yes 6/25/2013		72.00 f	✓ 6mcy			\$453.60
Line Total:									\$453.60
2	M6061T6T1.000W065 AS ABOVE	6061T6 RD TUBE 1.00 x .065w	6/25/2013 Yes 6/25/2013		192.00 f	✓ 16mcy			\$710.40
Line Total:									\$710.40
3	M6061T6T0.375W.058 AS ABOVE	6061-T6 RD Tube .375 x.058W	6/25/2013 Yes 6/25/2013		108.00 f	✓ 9mcy			\$210.60

Note:

6/19/2013



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO20235**

Purchase Order Date 6/19/2013

PO Print Date 6/19/2013

Page Number 2 of 2

Order From :

VC-MAR001

Ship To : DART AEROSPACE LTD

MARMON/KEYSTONE CANADA LTD.
290 CHEMIN DU TREMBLAY
BOUCHERVILLE, QC J4B 5X9
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

800 361 8142

Ship To Contact

Ship To Phone

Ship Via:

TST ground

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Line Total: \$210.60

4 M304TR0.750W.049 304 RD Tube .750 x .049W 6/25/2013

400.00

\$780.00

Yes

MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING
AS PER ADTM A213 OR ASME SA213 OR ASTM A269

6/25/2013

Line Total: \$780.00

PO Total: \$2,154.60

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Note: Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required - ☒ YES ☐ NO

Change Nbr:

1

Change Date: 6/19/2013